




FIG. 1











FIG. 5



Options Geometry										
		<u>ک</u> :	.	\$56		Rode Mode	est est		sent	
ر آ الله	8/	Frequer Sweep		n Stre Sweep		Temp Ra Stress M	T Sep Ter	5	Trans	
Flow Stress		Ēδ		r r y		X H	— ა	1	بري ر	
	- C	olnt - SS	: .	Steps -	্রেস	eep -	ress	9 L U	Stress	
Analysis rain Tests	2←	Single Po	_4	emp Ste Stress	9	Ş.₽	\$\$ \$\$ \$\$	Sweep		
Stair A	Ė			<u>5</u>		Time S	5 7		ហ័	

⊞ NSRFreq.vsd:FrequencySweep		
 Analysis Modules		
Dynamic Tests Dynamic Tests Dynamic Tests		
* Sleady Tests		
Lest Geometries		
	illi.	-ili ≜
25mm Plate 8mm Plate 50mm Plate Cone&Plate	다. Couerte One C	T ouette Two
8mm 8mm Cone8Fa Pare 0 Pare 10		
自 ransient Tests		

FIGURE 8

		- - -
	frue true true true true true true true t	
	10.00000 10.00000 10.00000 10.00000 5 5 10.00000 10.00000 10.00000	New
00000 1 mpresent	Double Double Integer Double Integer Double Double Double Double Double	Y
Property Editor adfembCmd Value Tito 00000 Bassel eyer ID Layer ID The Commanded I Temperature	Property dFreq iSweepMode dInitStressDyn dFinalStressDyn iPtsPerDecade dInitStressDyn dFinalStressDyn dFinalStressDyn	Chose

.


.

.

Discrete C Discrete C 00.0 Min=0.01			
2 H H	Max=500 Min=2 Max=500 Min=2	9	
	M M M M M M M M M M M M M M M M M M M	<u> </u>	
10.0	n n		
Oyn Stress Sweep Trast: Frequency Sweep Mode Initial Stress	Points per bezade 5		

.

FIG. 11






FIG. 12